

**GeneXproServer**  
1.0

## Index

GeneXproServer 1.0 .....	3
Workflow .....	3
GeneXproServer Windows and Console Modes .....	5
The Output Files .....	6
Original Run File .....	7
Job Definition.....	7
Job Node.....	7
Run Node .....	8
Datasets Node .....	9
File Connection Node.....	9
Internal Connection Node.....	10
Database Connection Node .....	10
Settings Node .....	11
Functions Node .....	11
Preprocessing and Postprocessing Nodes.....	11
Test Node .....	12
Appendix A: List of Adjustable Settings.....	13
Appendix B: List of Mathematical Functions.....	15
Appendix C: List of Logical Functions .....	23
Appendix D: Installation (Add-on and Standalone).....	31


## GeneXproServer 1.0

GeneXproServer is a batch processor of GeneXproTools runs that can easily be integrated with any infrastructure and process to enable the discovery and management of hundreds of models over different datasets and generated under different settings.

### Workflow

The process starts with an initial run created in the client application (GeneXproTools 4.0) and a job definition file that can be created from scratch or from one of the several templates supplied. The job definition file must contain the initial run's name and details about the number of runs, the data to load and the settings to vary over the course of the job. Loading the job definition file into GeneXproServer starts the execution of the job. Each job contains one or more runs. Each run can last a finite number of generations or a number of minutes or hours.

GeneXproServer is shipped in two different configurations: Windows and console mode. The former is appropriate for desktop computers and to create job definitions, whereas the console mode can be easily integrated with other systems and workflows. Either mode provides facilities to trigger external applications before and after each run and at the beginning and end of the job.



A screenshot of a Windows command prompt window titled "C:\WINDOWS\system32\cmd.exe". The window displays the output of the GeneXproServer 1.0 console application. The output shows the execution of a job definition named "jobdef.xml". The log includes messages such as "Starting job BreastCancer.gep", "Run copied to C:\Sourcesafe\GeneXproServer\GeneXproServer", "Starting run 1", "Loading training set...", "Loading testing set...", "Changing settings...", "Running for 100 generations...", "Processed generations: 7, 18, 28, 38, 50, 62, 74, 87, 99, 100", "Testing run...", "Run 1 is finished.", "Starting run 2", "Changing settings...", "Running for 100 generations...", "Processed generations: 0, 0, 0, 0, 0, 0, 0, 0, 0, 0". The window has standard Windows-style scroll bars on the right side.


```
C:\Sourcesafe\GeneXproServer\GeneXproServer 1.0>GeneXproServerConsole.exe jobdef.xml

GeneXproServer 1.0
http://www.genexproserver.com

Job Definition: jobdef.xml

17/08/2006 18:47:33 - -----
17/08/2006 18:47:33 - Starting job BreastCancer.gep
17/08/2006 18:47:33 - -----
17/08/2006 18:47:33 - Run copied to C:\Sourcesafe\GeneXproServer\GeneXproServer
17/08/2006 18:47:33 - Starting run 1.
17/08/2006 18:47:33 - Loading training set...
17/08/2006 18:47:33 - Loading testing set...
17/08/2006 18:47:34 - Changing settings...
17/08/2006 18:47:34 - Changing the function set...
17/08/2006 18:47:34 - Running for 100 generations...
17/08/2006 18:47:35 - Processed generations: 7
17/08/2006 18:47:35 - Processed generations: 18
17/08/2006 18:47:36 - Processed generations: 28
17/08/2006 18:47:36 - Processed generations: 38
17/08/2006 18:47:37 - Processed generations: 50
17/08/2006 18:47:37 - Processed generations: 62
17/08/2006 18:47:38 - Processed generations: 74
17/08/2006 18:47:38 - Processed generations: 87
17/08/2006 18:47:39 - Processed generations: 99
17/08/2006 18:47:39 - Processed generations: 100
17/08/2006 18:47:40 - Testing run...
17/08/2006 18:47:41 - Run 1 is finished.
17/08/2006 18:47:42 - -----
17/08/2006 18:47:42 - Run copied to C:\Sourcesafe\GeneXproServer\GeneXproServer
17/08/2006 18:47:42 - Starting run 2.
17/08/2006 18:47:42 - Changing settings...
17/08/2006 18:47:42 - Running for 100 generations...
17/08/2006 18:47:43 - Processed generations: 0
17/08/2006 18:47:43 - Processed generations: 0
17/08/2006 18:47:44 - Processed generations: 0
17/08/2006 18:47:44 - Processed generations: 0
17/08/2006 18:47:45 - Processed generations: 0
17/08/2006 18:47:45 - Processed generations: 0
17/08/2006 18:47:46 - Processed generations: 0
```

The Windows mode of GeneXproServer has a very simple interface with Start and Stop buttons, plus a Test button for checking the settings of all the runs in the job definition in order to prevent failure during execution and a Next Run button that might be useful for skipping a particular run.



During a job execution GeneXproServer creates a run file for each run as well as a group of XML files with details about each run history and model performance including training and testing fitnesses, accuracies, program sizes, used variables, and so forth. These files can be processed and inserted into enterprise data stores for later analysis.

Models								
Model	Generation	Training Fitness	Testing Fitness	Training Accuracy	Testing Accuracy	Size	Literals	Variables
1	0	447.003822958348	516.946211683054	94.57%	96.21%	19	11	d0(1), d2(3), d3(2), d7(4), d8(1)
2	1	518.591540116014	629.502703661725	86.00%	91.38%	19	11	d0(1), d2(3), d3(2), d7(4), d8(1)
3	2	624.438469757603	685.400567456211	87.14%	90.00%	19	11	d0(1), d2(3), d3(1), d5(1), d7(4), d8(1)
4	3	632.60443488031	584.001859052931	87.14%	88.51%	23	13	d1(1), d2(4), d3(1), d5(1), d6(1), d7(5), d8(1)
5	4	662.363092533985	689.6509603046373	90.29%	91.38%	15	9	d0(1), d2(4), d4(2), d7(2)
6	5	734.270079360127	803.027046208212	92.86%	94.83%	9	6	d1(2), d2(3), d6(1), d7(1)
7	6	795.998730789685	837.761676027435	94.86%	95.98%	11	7	d1(2), d2(3), d6(1), d7(1)
8	7	802.68834106114	882.180825980767	95.14%	97.13%	15	9	d2(4), d5(2), d6(2), d8(1)
9	8	813.899321979419	859.808785999031	95.43%	96.55%	15	9	d2(3), d3(1), d5(2), d6(2), d8(1)
10	9	849.219629480916	928.145570026304	96.29%	98.29%	13	8	d2(2), d4(1), d6(1), d6(2), d7(1), d8(1)
11	10	850.414530530533	920.508674173852	96.29%	95.48%	19	11	d0(1), d1(1), d2(3), d5(2), d6(2), d7(1), d8(1)
12	11	860.87325594725	951.767151767152	96.57%	98.85%	11	8	d0(1), d1(1), d2(1), d3(1), d5(1), d6(1), d7(1), d8(1)

GeneXproServer also provides a simple report that shows all the information generated as well as a simple summary of the job with average best-of-run values, best model information, and success rate both for the training and testing sets.

The screenshot shows a Windows application window titled "Gepsoft - GeneXproServer - Report - Packard Bell". The window contains three main sections: "Job Summary", "Best Model", and "Success Rate".

**Job Summary**

	Training	Testing
Fitness	969.69696969697	975.735294117647
Accuracy	98.00%	98.80%

**Best Model**

	Training	Testing
Fitness	969.69696969697	1000
Accuracy	98.00%	100.00%
Run	5	5
Model	8	8
Size	21	21
Literals	12	12
Variables	d0(2), d1(3), d2(2), d3(5)   d0(2), d1(3), d2(2), d3(5)	

**Success Rate**

	Training	Testing
Max. Fitness	1000	1000
Success Rate	0.00%	80.00%

Average best-of-run values both for the training and testing sets are evaluated using the fitness and accuracy/R-square values obtained for the best model (in terms of training fitness) of each run. The best-of-job model is identified in terms of the highest fitness value obtained both for the training and testing sets. The success rate corresponds to the percentage of processed runs in which max fitness was reached.

### GeneXproServer Windows and Console Modes

In Windows mode it is possible to test a job definition, skip runs during a job or cancel a job at any time, whereas in console mode it is not possible to interrupt a job gracefully. Both modes share the same implementation and the differences in performance should not be noticeable but the console mode is more appropriate for very long runs as it consumes less resources. The console application takes a single parameter with the path to the job definition, for example:

```
C:\Program Files\GeneXproServer\GeneXproServerConsole.exe d:\jobs\jobdef.xml
```

## The Output Files

GeneXproServer creates the following files for each run:

- [run name]\_xxxxx.gep: a copy of the original run file.
- [run name]\_xxxxx.xml: the output of the application during the run.
- [run name]\_xxxxx\_definition.xml: the settings applied to this run.

For the whole job GeneXproServer also generates the following files:

- [job name]\_summary.xml: cumulative values used for the run summary.
- Report.xml: XML file that aggregates all the other XML files.

The following files are also copied to the output folder:

gepsoft.gif  
bg01.gif  
standardreport.css  
standardreport.xsl

These are support files used for the transformation of the XML into HTML for the report.

Name	Type	Date Modified
Runs	File Folder	17/09/2006 00:19
IrisVirginica.gep	GeneXproTools Run	17/09/2006 00:04
jobdef-IrisVirginica.xml	XML Document	16/09/2006 23:36
IrisVirginica_0001.gep	GeneXproTools Run	18/09/2006 14:09
IrisVirginica_0001.xml	XML Document	18/09/2006 14:09
IrisVirginica_0002.gep	GeneXproTools Run	18/09/2006 14:09
IrisVirginica_0002.xml	XML Document	18/09/2006 14:09
IrisVirginica_0003.gep	GeneXproTools Run	18/09/2006 14:09
IrisVirginica_0003.xml	XML Document	18/09/2006 14:09
IrisVirginica_0004.gep	GeneXproTools Run	18/09/2006 14:09
IrisVirginica_0004.xml	XML Document	18/09/2006 14:09
IrisVirginica_0005.gep	GeneXproTools Run	18/09/2006 14:09
bg01.gif	Corel PHOTO-PAINT 8.0 Image	17/07/2006 20:51
gepsoft.gif	Corel PHOTO-PAINT 8.0 Image	03/07/2006 19:47
IrisVirginica.xml	XML Document	18/09/2006 14:09
IrisVirginica_0001_definition.xml	XML Document	18/09/2006 14:09
IrisVirginica_0002_definition.xml	XML Document	18/09/2006 14:09
IrisVirginica_0003_definition.xml	XML Document	18/09/2006 14:09
IrisVirginica_0004_definition.xml	XML Document	18/09/2006 14:09
IrisVirginica_0005.xml	XML Document	18/09/2006 14:09
IrisVirginica_0005_definition.xml	XML Document	18/09/2006 14:09
IrisVirginica_summary.xml	XML Document	18/09/2006 14:09
Report.xml	XML Document	18/09/2006 14:09
standardreport.css	Cascading Style Sheet Document	17/09/2006 10:31
standardreport.xsl	XSL Stylesheet	17/09/2006 10:36

## Original Run File

The original run file is a gep file created with GeneXproTools. This run serves as a template for the whole job and determines the type of problem (Function Finding, Classification, Time Series Prediction, or Logic Synthesis) and the number of variables in the problem at hand.

## Job Definition

The job definition is an XML file that controls all aspects of the job. GeneXproServer 1.0 job definition file supports the following operations:

1. Loading training and testing datasets
  - a. From text files
  - b. From any database type
  - c. From the job definition itself (embedded data)
2. Changing many of the run settings (head size, number of genes, etc.)
3. Add functions and change function weights
4. Control which models are evaluated on the testing set
5. Launch external applications synchronously and asynchronously
6. Control the frequency of UI feedback
7. Setting the output folder for the job

A very simple job definition could be like this example:

```
<job filename="BreastCancer.gep" path="C:\work" feedback="500">
  <run id="1" stopcondition="generations" value="1000"/>
  <run id="2" stopcondition="generations" value="1000"/>
  <run id="3" stopcondition="generations" value="1000"/>
  <run id="4" stopcondition="generations" value="1000"/>
  <run id="5" stopcondition="generations" value="1000"/>
  <run id="6" stopcondition="generations" value="1000"/>
  <run id="7" stopcondition="generations" value="1000"/>
  <run id="8" stopcondition="generations" value="1000"/>
</job>
```

It executes eight different runs, each with 1000 generations and gives feedback each 500 milliseconds.

## Job Node

The job node contains three attributes: filename, path, and feedback.

```
<job filename="BreastCancer.gep" path="C:\work" feedback="500">
```

The filename is the name of the original gep file. The path is the folder where all the input and output files are created. GeneXproServer assumes that the folder already exists and that it contains the original gep file. The feedback attribute is the time in milliseconds between screen updates during a run. If this attribute is set to zero GeneXproServer does not update the user interface during each run.

## Run Node

The run node contains a run identifier `id` that must be unique and preferably sequential within runs. The `stopcondition` can take three values: generations, hours, or minutes.

```
<run id="1" stopcondition="generations" value="500">
```

The `value` attribute denotes either generations or time and determines the effective duration of the run. If the value is set to -1 the run is not processed.

The run node contains three main sections and three control nodes. The sections are:

1. Datasets node
2. Settings node
3. Functions node

The control nodes are:

1. Preprocessing node
2. Postprocessing node
3. Test node

All the sections and control nodes are optional.

The following job definition example contains one run with all the supported node types:

```
<job filename="BreastCancer.gep" path="C:\work" feedback="500">
  <run id="1" stopcondition="generations" value="500">
    <preprocessing path="" hide="yes" synchro="yes"/>/
    <datasets>
      <dataset type="training" samples="all">
        <connection type="file" format="normal">
          <path separator="space" haslabels="no">C:\data\cancer_train.txt
          </path>
        </connection>
      </dataset>
      <dataset type="testing" samples="5000">
        <connection type="database" format="normal">
          <oledbconnectionstring>Provider=Microsoft.Jet.OLEDB.4.0;Data
          Source=C:\data\datasets.mdb;User Id=admin;Password=;"</oledbconnectionstring>
          <sqlstatement>SELECT TOP 5000 * FROM Cancer_Test;</sqlstatement>
        </connection>
      </dataset>
    </datasets>
    <settings>
      <setting key="Genes" value="7"/>
    </settings>
    <functions>
      <function action="add" symbol="Pow" weight="2"/>
    </functions>
    <test whichmodels="all"/>
    <postprocessing path="" hide="yes" synchro="no"/>/
  </run>
</job>
```

## Datasets Node

The datasets node can contain nodes of type <dataset/> and is optional.

```
<dataset type="training" samples="all">  
<dataset type="testing" samples="50000">  
<dataset type="timeseries" samples="100">
```

The `type` attribute can assume the values `training`, `testing`, or `timeseries` and the `samples` attribute limits the number of data samples to be loaded. If this number is higher than what is available in the data source then this value is ignored. If this parameter is set to `all` then all the samples in the data source are loaded.

## File Connection Node

Each dataset must contain a connection sub node that specifies the type of data source:

```
<connection type="file" format="standard">  
<connection type="internal" format="standard">  
<connection type="database" format="standard">
```

The `type` attribute specifies the type of data source, whereas the `format` specifies the data matrix format.

The file connections must contain a path and support three formats: `standard`, `gem`, or `timeseries`.

```
<connection type="file" format="standard">  
  <path separator="space" haslabels="no">  
    C:\data\cancer_train.txt  
  </path>  
</connection>
```

The `standard` format corresponds to the standard Samples x Variables format where samples are in rows and variables in columns, with the dependent variable or class occupying the rightmost position.

The `gem` format corresponds to the Gene Expression Matrix format commonly used in DNA microarrays studies where samples are in columns and variables in rows, with the dependent variable or class occupying the topmost position.

The `timeseries` format is obviously used in Time Series Prediction and consists of a single column of numeric values.

The path node must contain a `separator` attribute that supports the following values:

1. space
2. pipe
3. semicolon
4. comma
5. tab

It must also contain a node `haslabels` with yes or no values.

These attributes are not validated when the dataset is loaded so it is essential that the data is clean and that it matches all the attributes of the path node. If the data load fails the run cannot continue.

### Internal Connection Node

The connection of type internal node is used to embed data in the job definition file itself:

```
<connection type="internal" format="standard">
  <data separator="space" haslabels="no">
    0.2 0.1 0.1 0.1 0.2 0.1 0.2 0.1 0.1 0
    0.2 0.1 0.1 0.1 0.2 0.1 0.3 0.1 0.1 0
    0.5 0.1 0.1 0.1 0.2 0.1 0.2 0.1 0.1 0
    0.5 0.4 0.6 0.8 0.4 0.1 0.8 1.0 0.1 1
    0.5 0.3 0.3 0.1 0.2 0.1 0.2 0.1 0.1 0
    0.2 0.3 0.1 0.1 0.3 0.1 0.1 0.1 0.1 0
    0.3 0.5 0.7 0.8 0.8 0.9 0.7 1.0 0.7 1
    1.0 0.5 0.6 1.0 0.6 1.0 0.7 0.7 1.0 1
    1.0 0.9 0.8 0.7 0.6 0.4 0.7 1.0 0.3 1
    0.4 0.1 0.1 0.1 0.2 0.1 0.3 0.1 0.1 0
  </data>
</connection>
```

This mode is very useful if you prefer not to have external dependencies but it can impact the run load time negatively if the data sets are very large. The dataset cannot include extraneous spaces or lines and it must respect the regional settings of the computer where it is processed regarding the decimal separator.

### Database Connection Node

The database connection node is the most complex connection type and it supports any database with an OLEDB driver.

```
<connection type="database" format="standard">
  <oledbconnectionstring>Provider=Microsoft.Jet.OLEDB.4.0;Data
  Source=C:\data\datasets.mdb;User Id=admin;Password=;
  </oledbconnectionstring>
  <sqlstatement>SELECT * FROM Cancer_Train;</sqlstatement>
</connection>
```

The node `oledbconnectionstring` must contain a valid connection string and the `sqlstatement` node must contain a valid SQL query that returns exactly the number of variables used by the rest of the run.

## Settings Node

The settings node contains sub nodes that specify which settings change for the run. This node is optional and should only be present if you want to vary one or more settings from run to run:

```
<settings>
    <setting key="Genes" value="5" />
    <setting key="HeadSize" value="10" />
</settings>
```

Each setting must contain an attribute `key` and an attribute `value`. The keys and values correspond to the settings in GeneXproTools with the same name. These values are not validated so you must ensure that the correct type is used or the run file may become corrupted. The list of settings that can be changed is shown in Appendix A.

## Functions Node

The functions node allows adding new functions and changing the weight of the functions that are part of the function set.

```
<functions>
    <function action="add" symbol="Pow" weight="2" />
    <function action="set" symbol "+" weight="5" />
</functions>
```

Each function must contain the following three attributes:

1. `action`: whether to add the function or change the weight
  - a. `add`: adds the function
  - b. `set`: changes the weight of the function
2. `symbol`: the representation of the function (see appendixes B and C for a list of supported symbols)
3. `weight`: the weight of the function in the function set

## Preprocessing and Postprocessing Nodes

Pre- and post-processing nodes are used to launch external applications and scripts before and after a job or before and after each run. They can be a child of the job node or a child of any run node.

```
<preprocessing path="c:\script\notify.cmd" hide="yes" synchro="yes" />
<postprocessing path="c:\script\email.cmd" hide="yes" synchro="no" />
```

It must have three attributes: path, hide, and synchro.

1. path - the fully qualified path to the application
2. hide - does not show the application if its value is yes
3. synchro - when its value is yes it resumes processing only after the external application returns

### Test Node

The test node specifies how many models of each run are evaluated on the testing set after the run finishes. By default the last model of each run is always checked against the testing set and therefore needs not be specified.

```
<test whichmodels="all"/>
<test whichmodels="2"/>
```

The attribute whichmodels can take the value all or a numeric value  $n$ . In the first case, all the models in the run history are evaluated against the testing set, whereas in the latter only the last  $n$  models are evaluated.

## Appendix A: List of Adjustable Settings

Key	Data Type	Definition
TrainingSamples	int positive	Number of training samples
TestingSamples	int positive	Number of testing samples
Chromosomes	int positive [1, 4096]	Number of chromosomes
HeadSize	int positive [1, 256]	Head size
Genes	int positive [1, 64]	Number of genes
LinkingFunction	int positive	Linking function (see 1)
FitnessFunction	int positive	Fitness function (see 2 and 3)
WithParsimonyPressure	bit	"1" to apply and "0" to disable
RoundingThreshold	float	Rounding threshold
SelectionRange	positive float	Selection range
Precision	positive float	Precision
MutationRate	positive float [0, 1]	Mutation rate
InversionRate	positive float [0, 1]	Inversion rate
ISTranspRate	positive float [0, 1]	IS transposition rate
RISTranspRate	positive float [0, 1]	RIS transposition rate
GeneTranspRate	positive float [0, 1]	Gene transposition rate
OnePointRecRate	positive float [0, 1]	One-point recombination rate
TwoPointRecRate	positive float [0, 1]	Two-point recombination rate
GeneRecRate	positive float [0, 1]	Gene recombination rate
UseRNC	bit	"1" to use and "0" to disable
ConstantsPerGene	int positive [1, 100]	Number of constants per gene
DataTypeRNC	bit	"0" for integer and "1" for floating-point
LowerBoundRNC	float	RNCs lower bound
UpperBoundRNC	float	RNCs upper bound
MutationRateRNC	positive float [0, 1]	RNCs mutation rate
DcMutationRate	positive float [0, 1]	Dc mutation rate
DcInversionRate	positive float [0, 1]	Dc inversion rate
DcTranspRate	positive float [0, 1]	Dc transposition rate
SaveRunHistory	bit	"1" to save and "0" to disable

(1)

Linking Function	Value
Addition	0
Subtraction	1
Multiplication	2
Division	3
And	10001
Or	10002
Nand	10003
Nor	10004
Xor	10005
Nxor	10006
LT	10022
GT	10023
LOE	10024
GOE	10025

(2)

Function Finding & Time Series	Value
Absolute with SR	2
Absolute/Hits	3
MSE	5
RMSE	6
MAE	7
RSE	8
RRSE	9
RAE	10
Relative with SR	0
Relative/Hits	1
rMSE	28
rRMSE	29
rMAE	30
rRSE	31
rRRSE	32
rRAE	33
R-square	4
Correlation Coefficient	26
Custom	13

(3)

Classification & Logic Synthesis	Value
Number of Hits	23
Hits with Penalty	11
Accuracy	24
Squared Accuracy	25
Sensitivity/Specificity	12
PPV/NPV	14
SSPN	22
MSE	16
RMSE	17
MAE	18
RSE	19
RRSE	20
RAE	21
R-square	15
Correlation Coefficient	27
Custom	13

## Appendix B: List of Mathematical Functions

### Basic arithmetic functions:

- `+`: addition
- `-`: subtraction
- `*`: multiplication
- `/`: division
- `Add3`: addition with 3 inputs
- `Sub3`: subtraction with 3 inputs
- `Mul3`: multiplication with 3 inputs
- `Div3`: division with 3 inputs
- `Add4`: addition with 4 inputs
- `Sub4`: subtraction with 4 inputs
- `Mul4`: multiplication with 4 inputs
- `Div4`: division with 4 inputs

### Logarithmic functions:

- `Ln`: natural logarithm
- `Log`: logarithm of base 10
- `Log2`: logarithm(x,y)

### Exponential and power functions:

- `Sqrt`: square root
- `Exp`: exponential
- `Pow`: power
- `Pow10`:  $10^x$
- `X2`:  $x^2$
- `X3`:  $x^3$
- `X4`:  $x^4$
- `X5`:  $x^5$
- `3Rt`: cube root
- `4Rt`: quartic root
- `5Rt`: quintic root
- `Logi`: logistic(x)
- `Logi2`: logistic(x,y)
- `Logi3`: logistic(x,y,z)
- `Logi4`: logistic(a,b,c,d)
- `Gau`: Gaussian(x)
- `Gau2`: Gaussian(x,y)
- `Gau3`: Gaussian(x,y,z)
- `Gau4`: Gaussian(a,b,c,d)

**Rounding and other simple functions:**

- [Floor](#): floor
- [Ceil](#): ceiling
- [Mod](#): floating-point remainder
- [Abs](#): absolute value
- [Inv](#): inverse
- [Neg](#): negation
- [NOT](#): complement
- [Nop](#): no operation

**Minimum, maximum, and average functions:**

- [Min2](#): minimum of 2 inputs
- [Min3](#): minimum of 3 inputs
- [Min4](#): minimum of 4 inputs
- [Max2](#): maximum of 2 inputs
- [Max3](#): maximum of 3 inputs
- [Max4](#): maximum of 4 inputs
- [Avg2](#): average of 2 inputs
- [Avg3](#): average of 3 inputs
- [Avg4](#): average of 4 inputs

**Constant functions:**

- [Zero](#): constant zero function
- [One](#): constant one function
- [Zero2](#): 0(x,y)
- [One2](#): 1(x,y)
- [Pi](#): number p
- [E](#): Euler's number

**Trigonometric functions (x is in radians):**

- [Sin](#): sine
- [Cos](#): cosine
- [Tan](#): tangent
- [Csc](#): cosecant
- [Sec](#): secant
- [Cot](#): cotangent

**Inverse trigonometric functions:**

- [Asin](#): arcsine
- [Acos](#): arccosine
- [Atan](#): arctangent
- [Acsc](#): arccosecant
- [Asec](#): arcsecant
- [Acot](#): arccotangent

### Hyperbolic functions:

- **Sinh**: hyperbolic sine
- **Cosh**: hyperbolic cosine
- **Tanh**: hyperbolic tangent
- **Csch**: hyperbolic cosecant
- **Sech**: hyperbolic secant
- **Coth**: hyperbolic cotangent

### Inverse hyperbolic functions:

- **Asinh**: inverse hyperbolic sine
- **Acosh**: inverse hyperbolic cosine
- **Atanh**: inverse hyperbolic tangent
- **Acsch**: inverse hyperbolic cosecant
- **Asech**: inverse hyperbolic secant
- **Acoth**: inverse hyperbolic cotangent

### Comparison 0/1 functions of two arguments (OR series):

- **OR1**: if  $x < 0$  OR  $y < 0$ , then 1, else 0
- **OR2**: if  $x \geq 0$  OR  $y \geq 0$ , then 1, else 0
- **OR3**: if  $x \leq 0$  OR  $y \leq 0$ , then 1, else 0
- **OR4**: if  $x < 1$  OR  $y < 1$ , then 1, else 0
- **OR5**: if  $x \geq 1$  OR  $y \geq 1$ , then 1, else 0
- **OR6**: if  $x \leq 1$  OR  $y \leq 1$ , then 1, else 0

### Comparison 0/1 functions of two arguments (AND series):

- **AND1**: if  $x < 0$  AND  $y < 0$ , then 1, else 0
- **AND2**: if  $x \geq 0$  AND  $y \geq 0$ , then 1, else 0
- **AND3**: if  $x \leq 0$  AND  $y \leq 0$ , then 1, else 0
- **AND4**: if  $x < 1$  AND  $y < 1$ , then 1, else 0
- **AND5**: if  $x \geq 1$  AND  $y \geq 1$ , then 1, else 0
- **AND6**: if  $x \leq 1$  AND  $y \leq 1$ , then 1, else 0

### Comparison IF THEN ELSE functions of two arguments (series A):

- **LT2A**: if  $x < y$ , then  $x$ , else  $y$
- **GT2A**: if  $x > y$ , then  $x$ , else  $y$
- **LOE2A**: if  $x \leq y$ , then  $x$ , else  $y$
- **GOE2A**: if  $x \geq y$ , then  $x$ , else  $y$
- **ET2A**: if  $x = y$ , then  $x$ , else  $y$
- **NET2A**: if  $x \neq y$ , then  $x$ , else  $y$

### Comparison 0/1 IF THEN ELSE functions of two arguments (series B):

- **LT2B**: if  $x < y$ , then 1, else 0
- **GT2B**: if  $x > y$ , then 1, else 0
- **LOE2B**: if  $x \leq y$ , then 1, else 0
- **GOE2B**: if  $x \geq y$ , then 1, else 0
- **ET2B**: if  $x = y$ , then 1, else 0
- **NET2B**: if  $x \neq y$ , then 1, else 0

**Comparison IF THEN ELSE functions of two arguments (series C):**

- [LT2C](#): if  $x < y$ , then  $(x+y)$ , else  $(x-y)$
- [GT2C](#): if  $x > y$ , then  $(x+y)$ , else  $(x-y)$
- [LOE2C](#): if  $x \leq y$ , then  $(x+y)$ , else  $(x-y)$
- [GOE2C](#): if  $x \geq y$ , then  $(x+y)$ , else  $(x-y)$
- [ET2C](#): if  $x = y$ , then  $(x+y)$ , else  $(x-y)$
- [NET2C](#): if  $x \neq y$ , then  $(x+y)$ , else  $(x-y)$

**Comparison IF THEN ELSE functions of two arguments (series D):**

- [LT2D](#): if  $x < y$ , then  $(x^*y)$ , else  $(x/y)$
- [GT2D](#): if  $x > y$ , then  $(x^*y)$ , else  $(x/y)$
- [LOE2D](#): if  $x \leq y$ , then  $(x^*y)$ , else  $(x/y)$
- [GOE2D](#): if  $x \geq y$ , then  $(x^*y)$ , else  $(x/y)$
- [ET2D](#): if  $x = y$ , then  $(x^*y)$ , else  $(x/y)$
- [NET2D](#): if  $x \neq y$ , then  $(x^*y)$ , else  $(x/y)$

**Comparison IF THEN ELSE functions of two arguments (series E):**

- [LT2E](#): if  $x < y$ , then  $(x+y)$ , else  $(x^*y)$
- [GT2E](#): if  $x > y$ , then  $(x+y)$ , else  $(x^*y)$
- [LOE2E](#): if  $x \leq y$ , then  $(x+y)$ , else  $(x^*y)$
- [GOE2E](#): if  $x \geq y$ , then  $(x+y)$ , else  $(x^*y)$
- [ET2E](#): if  $x = y$ , then  $(x+y)$ , else  $(x^*y)$
- [NET2E](#): if  $x \neq y$ , then  $(x+y)$ , else  $(x^*y)$

**Comparison IF THEN ELSE functions of two arguments (series F):**

- [LT2F](#): if  $x < y$ , then  $(x+y)$ , else  $\sin(x^*y)$
- [GT2F](#): if  $x > y$ , then  $(x+y)$ , else  $\sin(x^*y)$
- [LOE2F](#): if  $x \leq y$ , then  $(x+y)$ , else  $\sin(x^*y)$
- [GOE2F](#): if  $x \geq y$ , then  $(x+y)$ , else  $\sin(x^*y)$
- [ET2F](#): if  $x = y$ , then  $(x+y)$ , else  $\sin(x^*y)$
- [NET2F](#): if  $x \neq y$ , then  $(x+y)$ , else  $\sin(x^*y)$

**Comparison IF THEN ELSE functions of two arguments (series G):**

- [LT2G](#): if  $x < y$ , then  $(x+y)$ , else  $\text{atan}(x^*y)$
- [GT2G](#): if  $x > y$ , then  $(x+y)$ , else  $\text{atan}(x^*y)$
- [LOE2G](#): if  $x \leq y$ , then  $(x+y)$ , else  $\text{atan}(x^*y)$
- [GOE2G](#): if  $x \geq y$ , then  $(x+y)$ , else  $\text{atan}(x^*y)$
- [ET2G](#): if  $x = y$ , then  $(x+y)$ , else  $\text{atan}(x^*y)$
- [NET2G](#): if  $x \neq y$ , then  $(x+y)$ , else  $\text{atan}(x^*y)$

**Comparison IF THEN ELSE functions of three arguments (series A):**

- [LT3A](#): if  $x < 0$ , then  $y$ , else  $z$
- [GT3A](#): if  $x > 0$ , then  $y$ , else  $z$
- [LOE3A](#): if  $x \leq 0$ , then  $y$ , else  $z$
- [GOE3A](#): if  $x \geq 0$ , then  $y$ , else  $z$
- [ET3A](#): if  $x = 0$ , then  $y$ , else  $z$
- [NET3A](#): if  $x \neq 0$ , then  $y$ , else  $z$

**Comparison IF THEN ELSE functions of three arguments (series B):**

- **LT3B:** if  $(x+y) < z$ , then  $(x+y)$ , else  $z$
- **GT3B:** if  $(x+y) > z$ , then  $(x+y)$ , else  $z$
- **LOE3B:** if  $(x+y) \leq z$ , then  $(x+y)$ , else  $z$
- **GOE3B:** if  $(x+y) \geq z$ , then  $(x+y)$ , else  $z$
- **ET3B:** if  $(x+y) = z$ , then  $(x+y)$ , else  $z$
- **NET3B:** if  $(x+y) \neq z$ , then  $(x+y)$ , else  $z$

**Comparison IF THEN ELSE functions of three arguments (series C):**

- **LT3C:** if  $(x+y) < z$ , then  $(x+y)$ , else  $(x+z)$
- **GT3C:** if  $(x+y) > z$ , then  $(x+y)$ , else  $(x+z)$
- **LOE3C:** if  $(x+y) \leq z$ , then  $(x+y)$ , else  $(x+z)$
- **GOE3C:** if  $(x+y) \geq z$ , then  $(x+y)$ , else  $(x+z)$
- **ET3C:** if  $(x+y) = z$ , then  $(x+y)$ , else  $(x+z)$
- **NET3C:** if  $(x+y) \neq z$ , then  $(x+y)$ , else  $(x+z)$

**Comparison IF THEN ELSE functions of three arguments (series D):**

- **LT3D:** if  $(x+y) < z$ , then  $(x+y)$ , else  $(x-z)$
- **GT3D:** if  $(x+y) > z$ , then  $(x+y)$ , else  $(x-z)$
- **LOE3D:** if  $(x+y) \leq z$ , then  $(x+y)$ , else  $(x-z)$
- **GOE3D:** if  $(x+y) \geq z$ , then  $(x+y)$ , else  $(x-z)$
- **ET3D:** if  $(x+y) = z$ , then  $(x+y)$ , else  $(x-z)$
- **NET3D:** if  $(x+y) \neq z$ , then  $(x+y)$ , else  $(x-z)$

**Comparison IF THEN ELSE functions of three arguments (series E):**

- **LT3E:** if  $(x+y) < z$ , then  $(x+y)$ , else  $(x^*z)$
- **GT3E:** if  $(x+y) > z$ , then  $(x+y)$ , else  $(x^*z)$
- **LOE3E:** if  $(x+y) \leq z$ , then  $(x+y)$ , else  $(x^*z)$
- **GOE3E:** if  $(x+y) \geq z$ , then  $(x+y)$ , else  $(x^*z)$
- **ET3E:** if  $(x+y) = z$ , then  $(x+y)$ , else  $(x^*z)$
- **NET3E:** if  $(x+y) \neq z$ , then  $(x+y)$ , else  $(x^*z)$

**Comparison IF THEN ELSE functions of three arguments (series F):**

- **LT3F:** if  $(x+y) < z$ , then  $(x+y)$ , else  $(x/z)$
- **GT3F:** if  $(x+y) > z$ , then  $(x+y)$ , else  $(x/z)$
- **LOE3F:** if  $(x+y) \leq z$ , then  $(x+y)$ , else  $(x/z)$
- **GOE3F:** if  $(x+y) \geq z$ , then  $(x+y)$ , else  $(x/z)$
- **ET3F:** if  $(x+y) = z$ , then  $(x+y)$ , else  $(x/z)$
- **NET3F:** if  $(x+y) \neq z$ , then  $(x+y)$ , else  $(x/z)$

**Comparison IF THEN ELSE functions of three arguments (series G):**

- **LT3G:** if  $(x+y) < z$ , then  $(x^*y)$ , else  $(x+z)$
- **GT3G:** if  $(x+y) > z$ , then  $(x^*y)$ , else  $(x+z)$
- **LOE3G:** if  $(x+y) \leq z$ , then  $(x^*y)$ , else  $(x+z)$
- **GOE3G:** if  $(x+y) \geq z$ , then  $(x^*y)$ , else  $(x+z)$
- **ET3G:** if  $(x+y) = z$ , then  $(x^*y)$ , else  $(x+z)$
- **NET3G:** if  $(x+y) \neq z$ , then  $(x^*y)$ , else  $(x+z)$

### Comparison IF THEN ELSE functions of three arguments (series H):

- **LT3H:** if  $(x+y) < z$ , then  $(x^*y)$ , else  $(x-z)$
- **GT3H:** if  $(x+y) > z$ , then  $(x^*y)$ , else  $(x-z)$
- **LOE3H:** if  $(x+y) \leq z$ , then  $(x^*y)$ , else  $(x-z)$
- **GOE3H:** if  $(x+y) \geq z$ , then  $(x^*y)$ , else  $(x-z)$
- **ET3H:** if  $(x+y) = z$ , then  $(x^*y)$ , else  $(x-z)$
- **NET3H:** if  $(x+y) \neq z$ , then  $(x^*y)$ , else  $(x-z)$

### Comparison IF THEN ELSE functions of three arguments (series I):

- **LT3I:** if  $(x+y) < z$ , then  $(x^*y)$ , else  $(x^*z)$
- **GT3I:** if  $(x+y) > z$ , then  $(x^*y)$ , else  $(x^*z)$
- **LOE3I:** if  $(x+y) \leq z$ , then  $(x^*y)$ , else  $(x^*z)$
- **GOE3I:** if  $(x+y) \geq z$ , then  $(x^*y)$ , else  $(x^*z)$
- **ET3I:** if  $(x+y) = z$ , then  $(x^*y)$ , else  $(x^*z)$
- **NET3I:** if  $(x+y) \neq z$ , then  $(x^*y)$ , else  $(x^*z)$

### Comparison IF THEN ELSE functions of three arguments (series J):

- **LT3J:** if  $(x+y) < z$ , then  $(x^*y)$ , else  $(x/z)$
- **GT3J:** if  $(x+y) > z$ , then  $(x^*y)$ , else  $(x/z)$
- **LOE3J:** if  $(x+y) \leq z$ , then  $(x^*y)$ , else  $(x/z)$
- **GOE3J:** if  $(x+y) \geq z$ , then  $(x^*y)$ , else  $(x/z)$
- **ET3J:** if  $(x+y) = z$ , then  $(x^*y)$ , else  $(x/z)$
- **NET3J:** if  $(x+y) \neq z$ , then  $(x^*y)$ , else  $(x/z)$

### Comparison IF THEN ELSE functions of three arguments (series K):

- **LT3K:** if  $(x+y) < z$ , then  $(x+y+z)$ , else  $\sin(x^*y^*z)$
- **GT3K:** if  $(x+y) > z$ , then  $(x+y+z)$ , else  $\sin(x^*y^*z)$
- **LOE3K:** if  $(x+y) \leq z$ , then  $(x+y+z)$ , else  $\sin(x^*y^*z)$
- **GOE3K:** if  $(x+y) \geq z$ , then  $(x+y+z)$ , else  $\sin(x^*y^*z)$
- **ET3K:** if  $(x+y) = z$ , then  $(x+y+z)$ , else  $\sin(x^*y^*z)$
- **NET3K:** if  $(x+y) \neq z$ , then  $(x+y+z)$ , else  $\sin(x^*y^*z)$

### Comparison IF THEN ELSE functions of three arguments (series L):

- **LT3L:** if  $(x+y) < z$ , then  $(x+y+z)$ , else  $\text{atan}(x^*y^*z)$
- **GT3L:** if  $(x+y) > z$ , then  $(x+y+z)$ , else  $\text{atan}(x^*y^*z)$
- **LOE3L:** if  $(x+y) \leq z$ , then  $(x+y+z)$ , else  $\text{atan}(x^*y^*z)$
- **GOE3L:** if  $(x+y) \geq z$ , then  $(x+y+z)$ , else  $\text{atan}(x^*y^*z)$
- **ET3L:** if  $(x+y) = z$ , then  $(x+y+z)$ , else  $\text{atan}(x^*y^*z)$
- **NET3L:** if  $(x+y) \neq z$ , then  $(x+y+z)$ , else  $\text{atan}(x^*y^*z)$

### Comparison IF THEN ELSE functions of four arguments (series A):

- **LT4A:** if  $a < b$ , then  $c$ , else  $d$
- **GT4A:** if  $a > b$ , then  $c$ , else  $d$
- **LOE4A:** if  $a \leq b$ , then  $c$ , else  $d$
- **GOE4A:** if  $a \geq b$ , then  $c$ , else  $d$
- **ET4A:** if  $a = b$ , then  $c$ , else  $d$
- **NET4A:** if  $a \neq b$ , then  $c$ , else  $d$

### Comparison IF THEN ELSE functions of four arguments (series B):

- **LT4B:** if  $(a+b) < (c+d)$ , then  $c$ , else  $d$
- **GT4B:** if  $(a+b) > (c+d)$ , then  $c$ , else  $d$
- **LOE4B:** if  $(a+b) \leq (c+d)$ , then  $c$ , else  $d$
- **GOE4B:** if  $(a+b) \geq (c+d)$ , then  $c$ , else  $d$
- **ET4B:** if  $(a+b) = (c+d)$ , then  $c$ , else  $d$
- **NET4B:** if  $(a+b) \neq (c+d)$ , then  $c$ , else  $d$

### Comparison IF THEN ELSE functions of four arguments (series C):

- **LT4C:** if  $(a+b) < (c+d)$ , then  $(a+b)$ , else  $(c+d)$
- **GT4C:** if  $(a+b) > (c+d)$ , then  $(a+b)$ , else  $(c+d)$
- **LOE4C:** if  $(a+b) \leq (c+d)$ , then  $(a+b)$ , else  $(c+d)$
- **GOE4C:** if  $(a+b) \geq (c+d)$ , then  $(a+b)$ , else  $(c+d)$
- **ET4C:** if  $(a+b) = (c+d)$ , then  $(a+b)$ , else  $(c+d)$
- **NET4C:** if  $(a+b) \neq (c+d)$ , then  $(a+b)$ , else  $(c+d)$

### Comparison IF THEN ELSE functions of four arguments (series D):

- **LT4D:** if  $(a+b) < (c+d)$ , then  $(a+b)$ , else  $(c-d)$
- **GT4D:** if  $(a+b) > (c+d)$ , then  $(a+b)$ , else  $(c-d)$
- **LOE4D:** if  $(a+b) \leq (c+d)$ , then  $(a+b)$ , else  $(c-d)$
- **GOE4D:** if  $(a+b) \geq (c+d)$ , then  $(a+b)$ , else  $(c-d)$
- **ET4D:** if  $(a+b) = (c+d)$ , then  $(a+b)$ , else  $(c-d)$
- **NET4D:** if  $(a+b) \neq (c+d)$ , then  $(a+b)$ , else  $(c-d)$

### Comparison IF THEN ELSE functions of four arguments (series E):

- **LT4E:** if  $(a+b) < (c+d)$ , then  $(a+b)$ , else  $(c^*d)$
- **GT4E:** if  $(a+b) > (c+d)$ , then  $(a+b)$ , else  $(c^*d)$
- **LOE4E:** if  $(a+b) \leq (c+d)$ , then  $(a+b)$ , else  $(c^*d)$
- **GOE4E:** if  $(a+b) \geq (c+d)$ , then  $(a+b)$ , else  $(c^*d)$
- **ET4E:** if  $(a+b) = (c+d)$ , then  $(a+b)$ , else  $(c^*d)$
- **NET4E:** if  $(a+b) \neq (c+d)$ , then  $(a+b)$ , else  $(c^*d)$

### Comparison IF THEN ELSE functions of four arguments (series F):

- **LT4F:** if  $(a+b) < (c+d)$ , then  $(a+b)$ , else  $(c/d)$
- **GT4F:** if  $(a+b) > (c+d)$ , then  $(a+b)$ , else  $(c/d)$
- **LOE4F:** if  $(a+b) \leq (c+d)$ , then  $(a+b)$ , else  $(c/d)$
- **GOE4F:** if  $(a+b) \geq (c+d)$ , then  $(a+b)$ , else  $(c/d)$
- **ET4F:** if  $(a+b) = (c+d)$ , then  $(a+b)$ , else  $(c/d)$
- **NET4F:** if  $(a+b) \neq (c+d)$ , then  $(a+b)$ , else  $(c/d)$

### Comparison IF THEN ELSE functions of four arguments (series G):

- **LT4G:** if  $(a+b) < (c+d)$ , then  $(a^*b)$ , else  $(c+d)$
- **GT4G:** if  $(a+b) > (c+d)$ , then  $(a^*b)$ , else  $(c+d)$
- **LOE4G:** if  $(a+b) \leq (c+d)$ , then  $(a^*b)$ , else  $(c+d)$
- **GOE4G:** if  $(a+b) \geq (c+d)$ , then  $(a^*b)$ , else  $(c+d)$
- **ET4G:** if  $(a+b) = (c+d)$ , then  $(a^*b)$ , else  $(c+d)$
- **NET4G:** if  $(a+b) \neq (c+d)$ , then  $(a^*b)$ , else  $(c+d)$

**Comparison IF THEN ELSE functions of four arguments (series H):**

- **LT4H:** if  $(a+b) < (c+d)$ , then  $(a^*b)$ , else  $(c-d)$
- **GT4H:** if  $(a+b) > (c+d)$ , then  $(a^*b)$ , else  $(c-d)$
- **LOE4H:** if  $(a+b) \leq (c+d)$ , then  $(a^*b)$ , else  $(c-d)$
- **GOE4H:** if  $(a+b) \geq (c+d)$ , then  $(a^*b)$ , else  $(c-d)$
- **ET4H:** if  $(a+b) = (c+d)$ , then  $(a^*b)$ , else  $(c-d)$
- **NET4H:** if  $(a+b) \neq (c+d)$ , then  $(a^*b)$ , else  $(c-d)$

**Comparison IF THEN ELSE functions of four arguments (series I):**

- **LT4I:** if  $(a+b) < (c+d)$ , then  $(a^*b)$ , else  $(c^*d)$
- **GT4I:** if  $(a+b) > (c+d)$ , then  $(a^*b)$ , else  $(c^*d)$
- **LOE4I:** if  $(a+b) \leq (c+d)$ , then  $(a^*b)$ , else  $(c^*d)$
- **GOE4I:** if  $(a+b) \geq (c+d)$ , then  $(a^*b)$ , else  $(c^*d)$
- **ET4I:** if  $(a+b) = (c+d)$ , then  $(a^*b)$ , else  $(c^*d)$
- **NET4I:** if  $(a+b) \neq (c+d)$ , then  $(a^*b)$ , else  $(c^*d)$

**Comparison IF THEN ELSE functions of four arguments (series J):**

- **LT4J:** if  $(a+b) < (c+d)$ , then  $(a^*b)$ , else  $(c/d)$
- **GT4J:** if  $(a+b) > (c+d)$ , then  $(a^*b)$ , else  $(c/d)$
- **LOE4J:** if  $(a+b) \leq (c+d)$ , then  $(a^*b)$ , else  $(c/d)$
- **GOE4J:** if  $(a+b) \geq (c+d)$ , then  $(a^*b)$ , else  $(c/d)$
- **ET4J:** if  $(a+b) = (c+d)$ , then  $(a^*b)$ , else  $(c/d)$
- **NET4J:** if  $(a+b) \neq (c+d)$ , then  $(a^*b)$ , else  $(c/d)$

**Comparison IF THEN ELSE functions of four arguments (series K):**

- **LT4K:** if  $(a+b) < (c+d)$ , then  $\sin(a^*b)$ , else  $\sin(c^*d)$
- **GT4K:** if  $(a+b) > (c+d)$ , then  $\sin(a^*b)$ , else  $\sin(c^*d)$
- **LOE4K:** if  $(a+b) \leq (c+d)$ , then  $\sin(a^*b)$ , else  $\sin(c^*d)$
- **GOE4K:** if  $(a+b) \geq (c+d)$ , then  $\sin(a^*b)$ , else  $\sin(c^*d)$
- **ET4K:** if  $(a+b) = (c+d)$ , then  $\sin(a^*b)$ , else  $\sin(c^*d)$
- **NET4K:** if  $(a+b) \neq (c+d)$ , then  $\sin(a^*b)$ , else  $\sin(c^*d)$

**Comparison IF THEN ELSE functions of four arguments (series L):**

- **LT4L:** if  $(a+b) < (c+d)$ , then  $\text{atan}(a^*b)$ , else  $\text{atan}(c^*d)$
- **GT4L:** if  $(a+b) > (c+d)$ , then  $\text{atan}(a^*b)$ , else  $\text{atan}(c^*d)$
- **LOE4L:** if  $(a+b) \leq (c+d)$ , then  $\text{atan}(a^*b)$ , else  $\text{atan}(c^*d)$
- **GOE4L:** if  $(a+b) \geq (c+d)$ , then  $\text{atan}(a^*b)$ , else  $\text{atan}(c^*d)$
- **ET4L:** if  $(a+b) = (c+d)$ , then  $\text{atan}(a^*b)$ , else  $\text{atan}(c^*d)$
- **NET4L:** if  $(a+b) \neq (c+d)$ , then  $\text{atan}(a^*b)$ , else  $\text{atan}(c^*d)$

## Appendix C: List of Logical Functions

### Basic logical functions with 1 and 2 inputs:

- **Not**: A'
- **And**: A·B
- **Or**: A+B
- **Nand**: (A·B)'
- **Nor**: (A+B)'
- **Xor**: A<sup>^</sup>B
- **Nxor**: (A<sup>^</sup>B)'

### Basic logical functions with 3 inputs:

- **And3**: A·B·C
- **Or3**: A+B+C
- **Nand3**: (A·B·C)'
- **Nor3**: (A+B+C)'
- **Odd3**: Odd-3-parity
- **Even3**: Even-3-parity

### Basic logical functions with 4 inputs:

- **And4**: A·B·C·D
- **Or4**: A+B+C+D
- **Nand4**: (A·B·C·D)'
- **Nor4**: (A+B+C+D)'
- **Odd4**: Odd-4-parity
- **Even4**: Even-4-parity

### Additional logical functions with 1 input:

- **Id**: Id(A) = A
- **Zero**: 0(A) = 0
- **One**: 1(A) = 1

### Additional logical functions with 2 inputs:

- **LT**: A < B
- **GT**: A > B
- **LOE**: A <= B
- **GOE**: A >= B
- **NotA**: NOT(A,B) = NOT A
- **NotB**: NOT(A,B) = NOT B
- **IdA**: IdA(A,B) = A
- **IdB**: IdB(A,B) = B
- **Zero2**: 0(A,B) = 0
- **One2**: 1(A,B) = 1

**Derived logical functions with 3 inputs:**

- [LT3](#):  $A < B < C$
- [GT3](#):  $A > B > C$
- [LOE3](#):  $A \leq B \leq C$
- [GOE3](#):  $A \geq B \geq C$

**Common logical functions with 3 inputs:**

- [Mux](#): 3-Multiplexer
- [If](#): If  $A = 1$ , then  $B$ , else  $C$
- [Maj](#): Majority( $A, B, C$ )
- [Min](#): Minority( $A, B, C$ )
- [2Off](#): Exactly two off
- [2On](#): Exactly two on

**Universal logical modules with 3 inputs (series A):**

- [LM3A1](#):  $AC' + BC$
- [LM3A2](#):  $AC' + B'C$
- [LM3A3](#):  $A'C' + BC$
- [LM3A4](#):  $A'C' + B'C$

**Universal logical modules with 3 inputs (series B):**

- [LM3B1](#):  $(A+C') \cdot (B+C)$
- [LM3B2](#):  $(A+C') \cdot (B'+C)$
- [LM3B3](#):  $(A'+C') \cdot (B+C)$
- [LM3B4](#):  $(A'+C') \cdot (B'+C)$

**Universal logical modules with 3 inputs (series C):**

- [LM3C1](#):  $AB' + BC$
- [LM3C2](#):  $AB' + BC'$
- [LM3C3](#):  $A'B' + BC$
- [LM3C4](#):  $A'B' + BC'$

**Universal logical modules with 3 inputs (series D):**

- [LM3D1](#):  $(A+B') \cdot (B+C)$
- [LM3D2](#):  $(A+B') \cdot (B+C')$
- [LM3D3](#):  $(A'+B') \cdot (B+C)$
- [LM3D4](#):  $(A'+B') \cdot (B+C')$

**Universal logical modules with 3 inputs (series E):**

- [LM3E1](#):  $A'C + AB'$
- [LM3E2](#):  $A'C + AB$
- [LM3E3](#):  $A'C + AB'$

**Universal logical modules with 3 inputs (series F):**

- [LM3F1](#):  $(A' + C) \cdot (A + B')$
- [LM3F2](#):  $(A' + C') \cdot (A + B)$
- [LM3F3](#):  $(A' + C') \cdot (A + B')$

**Universal logical modules with 3 inputs (series G):**

- [LM3G1](#):  $(A^C) \cdot (B^C)$
- [LM3G2](#):  $(A^C) \cdot (B'^C)$
- [LM3G3](#):  $(A'^C) \cdot (B^C)$
- [LM3G4](#):  $(A'^C) \cdot (B'^C)$

**Universal logical modules with 3 inputs (series H):**

- [LM3H1](#):  $((A \cdot B)' \cdot C)'$
- [LM3H2](#):  $(A \cdot (B \cdot C))'$
- [LM3H3](#):  $((A + B)' + C)'$
- [LM3H4](#):  $(A + (B + C))'$

**Comparison IF THEN ELSE functions with 3 inputs (series A):**

- [LT3A](#): If  $A < B$ , then  $(A \cdot C)$ , else  $(B \cdot C)'$
- [GT3A](#): If  $A > B$ , then  $(A \cdot C)$ , else  $(B \cdot C)'$
- [LOE3A](#): If  $A \leq B$ , then  $(A \cdot C)$ , else  $(B \cdot C)'$
- [GOE3A](#): If  $A \geq B$ , then  $(A \cdot C)$ , else  $(B \cdot C)'$
- [ET3A](#): If  $A = B$ , then  $(A \cdot C)$ , else  $(B \cdot C)'$
- [NET3A](#): If  $A \neq B$ , then  $(A \cdot C)$ , else  $(B \cdot C)'$

**Comparison IF THEN ELSE functions with 3 inputs (series B):**

- [LT3B](#): If  $A < B$ , then  $(A \cdot C)'$ , else  $(A \cdot C)$
- [GT3B](#): If  $A > B$ , then  $(A \cdot C)'$ , else  $(A \cdot C)$
- [LOE3B](#): If  $A \leq B$ , then  $(A \cdot C)'$ , else  $(A \cdot C)$
- [GOE3B](#): If  $A \geq B$ , then  $(A \cdot C)'$ , else  $(A \cdot C)$
- [ET3B](#): If  $A = B$ , then  $(A \cdot C)'$ , else  $(A \cdot C)$
- [NET3B](#): If  $A \neq B$ , then  $(A \cdot C)'$ , else  $(A \cdot C)$

**Comparison IF THEN ELSE functions with 3 inputs (series C):**

- [LT3C](#): If  $A < B$ , then  $(A + C)'$ , else  $(B + C)$
- [GT3C](#): If  $A > B$ , then  $(A + C)'$ , else  $(B + C)$
- [LOE3C](#): If  $A \leq B$ , then  $(A + C)'$ , else  $(B + C)$
- [GOE3C](#): If  $A \geq B$ , then  $(A + C)'$ , else  $(B + C)$
- [ET3C](#): If  $A = B$ , then  $(A + C)'$ , else  $(B + C)$
- [NET3C](#): If  $A \neq B$ , then  $(A + C)'$ , else  $(B + C)$

**Additional universal logical modules with 3 inputs:**

- [T004](#): 00000100
- [T008](#): 00001000
- [T009](#): 00001001
- [T032](#): 00100000
- [T033](#): 00100001
- [T041](#): 00101001
- [T055](#): 00110111
- [T057](#): 00111001
- [T064](#): 01000000
- [T065](#): 01000001
- [T069](#): 01000101
- [T073](#): 01001001
- [T081](#): 01010001
- [T089](#): 01011001
- [T093](#): 01011101
- [T096](#): 01100000
- [T101](#): 01100101
- [T109](#): 01101101
- [T111](#): 01101111
- [T121](#): 01111001
- [T123](#): 01111011
- [T125](#): 01111101
- [T154](#): 10011010
- [T223](#): 11011111
- [T239](#): 11101111
- [T249](#): 11111001
- [T251](#): 11111011
- [T253](#): 11111101

**Derived logical functions with 4 inputs:**

- [LT4](#): A < B < C < D
- [GT4](#): A > B > C > D
- [LOE4](#): A <= B <= C <= D
- [GOE4](#): A >= B >= C >= D

**Common logical functions with 4 inputs:**

- [Tie](#): Tie
- [Ntie](#): Not tie
- [3Off](#): Exactly three off
- [3On](#): Exactly three on

**Universal logical modules with 4 inputs (series A):**

- [LM4A1](#):  $AD' + BD + CD$
- [LM4A2](#):  $AD' + B'D + CD$
- [LM4A3](#):  $AD' + BD + C'D$
- [LM4A4](#):  $AD' + B'D + C'D$
- [LM4A5](#):  $A'D' + BD + CD$
- [LM4A6](#):  $A'D' + B'D + CD$
- [LM4A7](#):  $A'D' + BD + C'D$
- [LM4A8](#):  $A'D' + B'D + C'D$

**Universal logical modules with 4 inputs (series B):**

- [LM4B1](#):  $(A + D') \cdot (B + D) \cdot (C + D)$
- [LM4B2](#):  $(A + D') \cdot (B' + D) \cdot (C + D)$
- [LM4B3](#):  $(A + D') \cdot (B + D) \cdot (C' + D)$
- [LM4B4](#):  $(A + D') \cdot (B' + D) \cdot (C' + D)$
- [LM4B5](#):  $(A' + D') \cdot (B + D) \cdot (C + D)$
- [LM4B6](#):  $(A' + D') \cdot (B' + D) \cdot (C + D)$
- [LM4B7](#):  $(A' + D') \cdot (B + D) \cdot (C' + D)$
- [LM4B8](#):  $(A' + D') \cdot (B' + D) \cdot (C' + D)$

**Universal logical modules with 4 inputs (series C):**

- [LM4C1](#):  $AB' + BC + BD$
- [LM4C2](#):  $AB' + B'C + BD$
- [LM4C3](#):  $AB' + BC + B'D$
- [LM4C4](#):  $AB' + B'C + B'D$
- [LM4C5](#):  $A'B' + BC + BD$
- [LM4C6](#):  $A'B' + B'C + BD$
- [LM4C7](#):  $A'B' + BC + B'D$
- [LM4C8](#):  $A'B' + B'C + B'D$

**Universal logical modules with 4 inputs (series D):**

- [LM4D1](#):  $(A + B') \cdot (B + C) \cdot (B + D)$
- [LM4D2](#):  $(A + B') \cdot (B' + C) \cdot (B + D)$
- [LM4D3](#):  $(A + B') \cdot (B + C) \cdot (B' + D)$
- [LM4D4](#):  $(A + B') \cdot (B' + C) \cdot (B' + D)$
- [LM4D5](#):  $(A' + B') \cdot (B + C) \cdot (B + D)$
- [LM4D6](#):  $(A' + B') \cdot (B' + C) \cdot (B + D)$
- [LM4D7](#):  $(A' + B') \cdot (B + C) \cdot (B' + D)$
- [LM4D8](#):  $(A' + B') \cdot (B' + C) \cdot (B' + D)$

**Universal logical modules with 4 inputs (series E):**

- [LM4E1](#): AC' + BC + CD
- [LM4E2](#): AC' + B'C + CD
- [LM4E3](#): AC' + BC + C'D
- [LM4E4](#): AC' + B'C + C'D
- [LM4E5](#): A'C + BC + CD
- [LM4E6](#): A'C + B'C + CD
- [LM4E7](#): A'C + BC + C'D
- [LM4E8](#): A'C + B'C + C'D

**Universal logical modules with 4 inputs (series F):**

- [LM4F1](#): (A+C') · (B+C) · (C+D)
- [LM4F2](#): (A+C') · (B'+C) · (C+D)
- [LM4F3](#): (A+C') · (B+C) · (C'+D)
- [LM4F4](#): (A+C') · (B'+C) · (C'+D)
- [LM4F5](#): (A'+C') · (B+C) · (C+D)
- [LM4F6](#): (A'+C') · (B'+C) · (C+D)
- [LM4F7](#): (A'+C') · (B+C) · (C'+D)
- [LM4F8](#): (A'+C') · (B'+C) · (C'+D)

**Universal logical modules with 4 inputs (series G):**

- [LM4G1](#): A'D + AB + AC
- [LM4G2](#): A'D + AB' + AC
- [LM4G3](#): A'D + AB + AC'
- [LM4G4](#): A'D + AB' + AC'
- [LM4G5](#): A'D' + AB + AC
- [LM4G6](#): A'D' + AB' + AC
- [LM4G7](#): A'D' + AB + AC'
- [LM4G8](#): A'D' + AB' + AC'

**Universal logical modules with 4 inputs (series H):**

- [LM4H1](#): (A'+D) · (A+B) · (A+C)
- [LM4H2](#): (A'+D) · (A+B') · (A+C)
- [LM4H3](#): (A'+D) · (A+B) · (A+C')
- [LM4H4](#): (A'+D) · (A+B') · (A+C')
- [LM4H5](#): (A'+D') · (A+B) · (A+C)
- [LM4H6](#): (A'+D') · (A+B') · (A+C)
- [LM4H7](#): (A'+D') · (A+B) · (A+C')
- [LM4H8](#): (A'+D') · (A+B') · (A+C')

**Universal logical modules with 4 inputs (series I):**

- [LM4I1](#):  $((A \cdot B)' \cdot C)' \cdot D'$
- [LM4I2](#):  $(A \cdot (B \cdot (C \cdot D))')'$
- [LM4I3](#):  $((A \cdot (B \cdot C))' \cdot D)'$
- [LM4I4](#):  $(A \cdot ((B \cdot C)' \cdot D))'$
- [LM4I5](#):  $((A+B)+C)+D)$ '
- [LM4I6](#):  $(A+(B+(C+D))')'$
- [LM4I7](#):  $((A+(B+C))'+D)'$
- [LM4I8](#):  $(A+((B+C)'+D))'$

**Comparison IF THEN ELSE functions with 4 inputs (series A):**

- [LT4A](#): If  $A < B$ , then  $C$ , else  $D$
- [GT4A](#): If  $A > B$ , then  $C$ , else  $D$
- [LOE4A](#): If  $A \leq B$ , then  $C$ , else  $D$
- [GOE4A](#): If  $A \geq B$ , then  $C$ , else  $D$
- [ET4A](#): If  $A = B$ , then  $C$ , else  $D$
- [NET4A](#): If  $A \neq B$ , then  $C$ , else  $D$

**Comparison IF THEN ELSE functions with 4 inputs (series B):**

- [LT4B](#): If  $A < B$ , then  $(C \cdot D)$ , else  $D'$
- [GT4B](#): If  $A > B$ , then  $(C \cdot D)$ , else  $D'$
- [LOE4B](#): If  $A \leq B$ , then  $(C \cdot D)$ , else  $D'$
- [GOE4B](#): If  $A \geq B$ , then  $(C \cdot D)$ , else  $D'$
- [ET4B](#): If  $A = B$ , then  $(C \cdot D)$ , else  $D'$
- [NET4B](#): If  $A \neq B$ , then  $(C \cdot D)$ , else  $D'$

**Comparison IF THEN ELSE functions with 4 inputs (series C):**

- [LT4C](#): If  $A < B$ , then  $(C+D)$ , else  $D'$
- [GT4C](#): If  $A > B$ , then  $(C+D)$ , else  $D'$
- [LOE4C](#): If  $A \leq B$ , then  $(C+D)$ , else  $D'$
- [GOE4C](#): If  $A \geq B$ , then  $(C+D)$ , else  $D'$
- [ET4C](#): If  $A = B$ , then  $(C+D)$ , else  $D'$
- [NET4C](#): If  $A \neq B$ , then  $(C+D)$ , else  $D'$

**Comparison IF THEN ELSE functions with 4 inputs (series D):**

- [LT4D](#): If  $A < B$ , then  $(A \cdot D)$ , else  $(C \cdot D)'$
- [GT4D](#): If  $A > B$ , then  $(A \cdot D)$ , else  $(C \cdot D)'$
- [LOE4D](#): If  $A \leq B$ , then  $(A \cdot D)$ , else  $(C \cdot D)'$
- [GOE4D](#): If  $A \geq B$ , then  $(A \cdot D)$ , else  $(C \cdot D)'$
- [ET4D](#): If  $A = B$ , then  $(A \cdot D)$ , else  $(C \cdot D)'$
- [NET4D](#): If  $A \neq B$ , then  $(A \cdot D)$ , else  $(C \cdot D)'$

**Comparison IF THEN ELSE functions with 4 inputs (series E):**

- [LT4E](#): If A < B, then (A·D)', else (A·C)
- [GT4E](#): If A > B, then (A·D)', else (A·C)
- [LOE4E](#): If A <= B, then (A·D)', else (A·C)
- [GOE4E](#): If A >= B, then (A·D)', else (A·C)
- [ET4E](#): If A = B, then (A·D)', else (A·C)
- [NET4E](#): If A != B, then (A·D)', else (A·C)

**Additional universal logical modules with 4 inputs:**

- [Q0002](#): 000000000000000010
- [Q001C](#): 0000000000011100
- [Q0048](#): 0000000001001000
- [Q0800](#): 0000100000000000
- [Q3378](#): 0011001101111000
- [Q3475](#): 0011010001110101
- [Q3CB0](#): 0011110010110000
- [Q3DEF](#): 0011110111101111
- [Q3DF](#): 0011110111111111
- [Q4200](#): 0100001000000000
- [Q4C11](#): 0100110000010001
- [Q5100](#): 0101000100000000
- [Q5EEF](#): 0101111011101111
- [Q5EFF](#): 0101111011111111
- [Q6A6D](#): 0110101001101101
- [Q6F75](#): 0110111101110101
- [Q74C4](#): 0111010011000100
- [Q7DA3](#): 0111110110100011
- [Q8304](#): 1000001100000100
- [Q8430](#): 1000010000110000
- [Q8543](#): 1000010101000011
- [Q9D80](#): 1001110110000000
- [QA092](#): 1010000010010010
- [QB36A](#): 1011001101101010
- [QCBCF](#): 1100101111001111
- [QEEB1](#): 1110111010110001
- [QEFFF](#): 1110111111111111
- [QFF7B](#): 1111111101111011
- [QFFF6](#): 1111111111110110
- [QFFF8](#): 1111111111110111

## Appendix D: Installation (Add-on and Standalone)

GeneXproServer ships as an executable that must be installed in a computer where GeneXproTools is already installed. The installation creates another installation executable (GeneXproServerStandAloneSetup.exe), which can be used to install GeneXproServer in machines that don't have GeneXproTools installed. Essentially, this last installer contains all the files needed for GeneXproServer but it cannot be run in a computer where GeneXproTools is installed. This installation can be used to install GeneXproServer on a server cluster, for example. You must own one license of GeneXproServer for each computer where you install it, either as an add-on or standalone.